

# Site report 2018 Za'atri JORDAN



## Population


**78,549** refugees

**19%**

Children under 5

**22%**

Women of reproductive age



## Origin of refugees

**SYRIA** **0**

Site opened  
**Jun 2012**

## Partners



## Key Indicators

### CRUDE MORTALITY RATE

**0.2** Deaths/1,000 refugees/month

### U5 MORTALITY RATE

**0.3** Deaths/1,000 refugees/month

### MATERNAL MORTALITY

**1** Deaths

### SKILLED BIRTH ATTENDANCE

**100%** of all births

### GAM

**NC** Global Acute Malnutrition

### SAM

**NC** Severe Acute Malnutrition

### WATER SUPPLY

**35** Liters/ person/ day

### LATRINE COVERAGE

**4** Refugees/communal toilets or latrines

## Public Health

### HEALTH STAFFING

	INDICATOR	STANDARD
Number of medical doctors	79	1 : < 50,000
Number of qualified nurses	57	1 : < 10,000
Number of community health workers	80	1 : < 1,000

### ACCESS AND UTILIZATION

	INDICATOR	STANDARD
Consultations per trained clinician per day	41	< 50
Health utilisation rate (new visits / refugee / year)	7.5	1 - 4
Proportion of host population consultations	0%	

### OUTBREAK ALERT AND RESPONSE

	INDICATOR	STANDARD
Proportion of outbreaks investigated within 48 hours	0%	100%
Number of outbreaks reported	0	

### MORTALITY

	INDICATOR	STANDARD	
Crude Mortality Rate (CMR) (/1000/month)	0.2	< 0.75	✓
Under-five Mortality Rate (U5MR) (/1000/month)	0.3	< 1.5	✓
Infant Mortality Rate (IMR) (/1000 livebirths)	15.2	< 30	✓
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	9	< 20	✓
<b>IN-PATIENT DEPARTMENT (IPD)</b>			
Average length of stay (days)	1.3		
Case fatality rate			
Hospitalisation rate	44.3	50 - 150	⚠

## Reproductive Health

### ANTENATAL CARE

	INDICATOR	STANDARD
Antenatal care coverage	84%	> 90%
Coverage of antenatal tetanus vaccination	79%	> 95%

### DELIVERY CARE

	INDICATOR	STANDARD
Proportion of births attended by skilled personnel	100%	≥ 90%
Proportion of births conducted by caesarean section	36%	5 - 15%
Proportion of newborn infants with low birth weight (<2500 gs) (weighed within 72 hrs)	1%	< 15%
Still birth rate ( / 1000 total births / month)	1	
Number of maternal deaths	1	
Proportion of maternal deaths investigated within 48 hours	100%	100%

### FAMILY PLANNING

	INDICATOR	STANDARD	
Contraceptive prevalence rate		≥ 30%	⚠
Source of contraceptive prevalence data	HIS		⚠

### SEXUAL AND GENDER-BASED VIOLENCE (SGBV)

	INDICATOR	STANDARD	
Total number of reported rapes	7		✓
Proportion of eligible rape survivors provided with PEP within 72 hours	100%	100%	✓
Proportion of eligible rape survivors provided with ECP within 120 hours	100%	100%	✓

# Nutrition

## NUTRITION GENERAL

Prevalence of global acute malnutrition (6-59 months)

INDICATOR STANDARD

Not collected

Prevalence of stunting (6-59 months)

Not collected

Prevalence of severe acute malnutrition (6 - 59 months)

Not collected

Prevalence of anaemia in children (6-59 months)

Not collected

Prevalence of anaemia in women of reproductive age (15-49 yrs)

Not collected

## INFANT AND YOUNG CHILD FEEDING (IYCF)

Proportion of children 0-23 months who were put to the breast within one hour of birth

Not collected

Proportion of infants aged between 0-5 months who received only breast milk during the previous day

Not collected

IYCF programmes targeting pregnant and lactating women established or maintained?

Yes

## MICRONUTRIENT DEFICIENCY

Percentage coverage of special nutrition product for prevention of undernutrition in young children (LNS/MNP/FBF)

> 70%

## CMAM: SAM TREATMENT

Number of new severe acute admissions (6-59 months)

INDICATOR STANDARD

45

Recovery rate

90% > 75%

Default rate

5% < 0%

Death rate

5% < 10%

Referral rate

## MAM TREATMENT

Number of new moderate acute admissions (6-59 months)

INDICATOR STANDARD

168

✓ Recovery rate

92% > 75%

✗ Default rate

4% < 15%

✓ Death rate

2% < 3%

Referral rate

# Water, Sanitation and Hygiene (WASH)

## WATER

Average number of litres of potable water available per person per day

INDICATOR STANDARD

35

< 20

Proportion of households collecting  $\geq$  15 litres per person per day

> 95%

Number of persons of concern per water tap

< 80

Proportion of tests at chlorinated water collection points indicating a measurable chlorine residual ( $\geq$  0.1 mg/litre) and NTU <5

> 95%

Proportion of tests at unchlorinated water collection points showing 0 Faecal Coliforms/100 ml

> 95%

Proportion of households collecting drinking water from protected water sources only

0% > 95%

Proportion of households with sufficient daily water storage capacity

0% > 80%

## WATER STAFFING

Number of hygiene promoters

INDICATOR STANDARD

1 : < 20,000

## SANITATION

Refugees per latrine/toilet

INDICATOR STANDARD

4

< 20

Proportion of households with drop-hole latrine or drop-hole toilet

Proportion of households report defecating in a toilet

0% > 85%

Proportion of communal latrines compliant with UNHCR standards (cleanable slabs, privacy & structural safety)

0% > 90%