



Site report 2018 Amnabak CHAD



Population

22,382 refugees



Origin of refugees

SOUDAN

Site opened
Jan 2004

Partners



Secours Catholique
Réseau mondial Caritas



Key Indicators

CRUDE MORTALITY RATE

0.0 Deaths/1,000 refugees/month

U5 MORTALITY RATE

0.0 Deaths/1,000 refugees/month

MATERNAL MORTALITY

0 Deaths

SKILLED BIRTH ATTENDANCE

103% of all births

GAM

NC Global Acute Malnutrition

SAM

NC Severe Acute Malnutrition


WATER SUPPLY

11 Liters/ person/ day



LATRINE COVERAGE

8 Refugees/communal toilets or latrines


COMMUNICABLE DISEASES




INJURIES



NON-COMMUNICABLE DISEASES



MENTAL HEALTH



Public Health

HEALTH STAFFING			MORBIDITY		
	INDICATOR	STANDARD		INDICATOR	STANDARD
Number of medical doctors	1	1 : < 50,000	✓	5	
Number of qualified nurses	4	1 : < 10,000	✓	6	
Number of community health workers	15	1 : < 1,000	✗	19	
ACCESS AND UTILIZATION			VACCINATION		
	INDICATOR	STANDARD		INDICATOR	STANDARD
Consultations per trained clinician per day	14	< 50	✓	7	
Health utilisation rate (new visits / refugee / year)	0.6	1 - 4	✗	100%	< 90% ✓
Proportion of host population consultations	26%			Yes	No ✗
				Were any MDR/X-TB cases diagnosed among PoCs?	
MORTALITY			IN-PATIENT DEPARTMENT (IPD)		
	INDICATOR	STANDARD		INDICATOR	STANDARD
Crude Mortality Rate (CMR) (/1000/month)	0.0	< 0.75	✓	58%	< 95% ✗
Under-five Mortality Rate (U5MR) (/1000/month)	0.0	< 1.5	✓	58%	< 95% ✗
Infant Mortality Rate (IMR) (/1000 livebirths)	2.4	< 30	✓	SOURCE OF VACCINATION DATA	HIS
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0	< 20	✓	1.7	
OUTBREAK ALERT AND RESPONSE			CASE FATALITY RATE		
	INDICATOR	STANDARD		INDICATOR	STANDARD
Proportion of outbreaks investigated within 48 hours	149%	100%	✓	0.0	
Number of outbreaks reported	53			13.1	50 - 150 ✗

Reproductive Health

ANTENATAL CARE			FAMILY PLANNING		
	INDICATOR	STANDARD		INDICATOR	STANDARD
Antenatal care coverage	78%	> 90%	✗	1%	≥ 30% ✗
Coverage of antenatal tetanus vaccination	96%	> 95%	✓	SOURCE OF CONTRACEPTIVE PREVALENCE DATA	HIS
DELIVERY CARE			SEXUAL AND GENDER-BASED VIOLENCE (SGBV)		
	INDICATOR	STANDARD		INDICATOR	STANDARD
Proportion of births attended by skilled personnel	103%	≥ 90%	✓	0	
Proportion of births conducted by caesarean section	1%	5 - 15%	✗	Proportion of eligible rape survivors provided with PEP within 72 hours	100%
Proportion of newborn infants with low birth weight (<2500 gs) (weighed within 72 hrs)	9%	< 15%	✓	Proportion of eligible rape survivors provided with ECP within 120 hours	100%
Proportion of teenage pregnancies	2%			SEXUALLY TRANSMITTED INFECTIONS (STIS)	
Still birth rate (/ 1000 total births / month)	0			Number of genital ulcer diseases	4
Number of maternal deaths	0			Number of Pelvic Inflammatory diseases	19
Proportion of maternal deaths investigated within 48 hours		100%			

HIV/AIDS

PREVENTION & TREATMENT

	INDICATOR	STANDARD
Proportion of blood units screened for HIV		100%
Condom distribution rate	0.07	> 0.5
Proportion of TB patients tested for HIV		100%

PREVENTION & TREATMENT

	INDICATOR	STANDARD
Number of PoCs receiving ART	24	
Proportion of HIV positive mothers who swallowed ARV during delivery	✘	100%
PMTCT coverage	96%	100% ⚠

Nutrition

NUTRITION GENERAL

	INDICATOR	STANDARD
Prevalence of global acute malnutrition (6-59 months)	Not collected	
Prevalence of stunting (6-59 months)	Not collected	
Prevalence of severe acute malnutrition (6 - 59 months)	Not collected	
Prevalence of anaemia in children (6-59 months)	Not collected	
Prevalence of anaemia in women of reproductive age (15-49 yrs)	Not collected	

INFANT AND YOUNG CHILD FEEDING (IYCF)

	INDICATOR	STANDARD
Proportion of children 0-23 months who were put to the breast within one hour of birth	Not collected	
Proportion of infants aged between 0-5 months who received only breast milk during the previous day	Not collected	
IYCF programmes targeting pregnant and lactating women established or maintained?		Yes

MICRONUTRIENT DEFICIENCY

	INDICATOR	STANDARD
Percentage coverage of special nutrition product for prevention of undernutrition in young children (LNS/MNP/FBF)	Not collected	

CMAM: SAM TREATMENT

	INDICATOR	STANDARD
Number of new severe acute admissions (6-59 months)	271	
Recovery rate	97%	> 75%
Default rate	1%	< 0%
Death rate	0%	< 10%
Referral rate	2%	

MAM TREATMENT

	INDICATOR	STANDARD
Number of new moderate acute admissions (6-59 months)	574	
Recovery rate	95%	> 75% ✔
Default rate	1%	< 15% ✔
Death rate	0%	< 3% ✔
Referral rate	5%	

Water, Sanitation and Hygiene (WASH)

WATER

	INDICATOR	STANDARD
Average number of litres of potable water available per person per day	11	< 20 ✘
Proportion of households collecting >= 15 litres per person per day	Not collected	
Number of persons of concern per water tap	Not collected	
Proportion of tests at chlorinated water collection points indicating a measurable chlorine residual (>= 0.1 mg/litre) and NTU <5	Not collected	
Proportion of tests at unchlorinated water collection points showing 0 Faecal Coliforms/ 100 ml	Not collected	
Proportion of households collecting drinking water from protected water sources only	Not collected	
Proportion of households with sufficient daily water storage capacity	Not collected	

WATER STAFFING

	INDICATOR	STANDARD
Number of hygiene promoters		1 : < 20,000 ⊖

SANITATION

	INDICATOR	STANDARD
Refugees per latrine/toilet	8	< 20 ✔
Proportion of households with drop-hole latrine or drop-hole toilet	Not collected	
Proportion of households report defecating in a toilet	Not collected	
Proportion of communal latrines compliant with UNHCR standards (cleanable slabs, privacy & structural safety)	Not collected	