

# Site report 2018 Bidibidi UGANDA



## Population


**223,939** refugees

**24%**

Children under 5

**20%**

Women of reproductive age



Origin of refugees

**SOUTH SUDAN**

Site opened

**Aug 2016**

## Partners



## Key Indicators

CRUDE MORTALITY RATE

**0.1** Deaths/1,000 refugees/month

U5 MORTALITY RATE

**0.2** Deaths/1,000 refugees/month

MATERNAL MORTALITY

**6** Deaths

SKILLED BIRTH ATTENDANCE

**93%** of all births

GAM

**NC** Global Acute Malnutrition

SAM

**NC** Severe Acute Malnutrition


WATER SUPPLY

**15** Liters/ person/ day



LATRINE COVERAGE

**7** Refugees/communal toilets or latrines


## COMMUNICABLE DISEASES




## INJURIES



## NON-COMMUNICABLE DISEASES



## MENTAL HEALTH



## Public Health

HEALTH STAFFING			MORBIDITY		
	INDICATOR	STANDARD		INDICATOR	STANDARD
Number of medical doctors	10	1 : < 50,000	✓	68	
Number of qualified nurses	83	1 : < 10,000	✓	15	
Number of community health workers	398	1 : < 1,000	✓	19	
ACCESS AND UTILIZATION			VACCINATION		
	INDICATOR	STANDARD		INDICATOR	STANDARD
Consultations per trained clinician per day	34	< 50	✓	71%	< 95% ✘
Health utilisation rate (new visits / refugee / year)	1.4	1 - 4	✓	Measles vaccination coverage	Not collected
Proportion of host population consultations	17%		✓	Source of vaccination data	HIS
MORTALITY			IN-PATIENT DEPARTMENT (IPD)		
	INDICATOR	STANDARD		INDICATOR	STANDARD
Crude Mortality Rate (CMR) (/1000/month)	0.1	< 0.75	✓	Average length of stay (days)	2.8
Under-five Mortality Rate (U5MR) (/1000/month)	0.2	< 1.5	✓	Case fatality rate	0.0
Infant Mortality Rate (IMR) (/1000 livebirths)	14.7	< 30	✓	Hospitalisation rate	61.1 50 - 150 ✓
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	10	< 20	✓		
OUTBREAK ALERT AND RESPONSE					
	INDICATOR	STANDARD			
Proportion of outbreaks investigated within 48 hours	100%	100%	✓		
Number of outbreaks reported	2				

## Reproductive Health

ANTENATAL CARE			FAMILY PLANNING		
	INDICATOR	STANDARD		INDICATOR	STANDARD
Antenatal care coverage	91%	> 90%	✓	11%	≥ 30% ✘
Coverage of antenatal tetanus vaccination	90%	> 95%	⚠	Source of contraceptive prevalence data	HIS
DELIVERY CARE			SEXUAL AND GENDER-BASED VIOLENCE (SGBV)		
	INDICATOR	STANDARD		INDICATOR	STANDARD
Proportion of births attended by skilled personnel	93%	≥ 90%	✓	Total number of reported rapes	570
Proportion of births conducted by caesarean section	4%	5 - 15%	⚠	Proportion of eligible rape survivors provided with PEP within 72 hours	74% 100% ✘
Proportion of newborn infants with low birth weight (<2500 gs) (weighed within 72 hrs)	3%	< 15%	✓	Proportion of eligible rape survivors provided with ECP within 120 hours	56% 100% ✘
Proportion of teenage pregnancies	5%			SEXUALLY TRANSMITTED INFECTIONS (STIS)	
Still birth rate ( / 1000 total births / month)	1			Number of genital ulcer diseases	196
Number of maternal deaths	6			Number of Pelvic Inflammatory diseases	3,103
Proportion of maternal deaths investigated within 48 hours	100%	100%	✓		

## HIV/AIDS

### PREVENTION & TREATMENT

Proportion of blood units screened for HIV

INDICATOR STANDARD

100%

Condom distribution rate

0.12 > 0.5

Proportion of TB patients tested for HIV

100%

### PREVENTION & TREATMENT

Number of PoCs receiving ART

INDICATOR STANDARD

932

✘ Proportion of HIV positive mothers who swallowed ARV during delivery

100%

PMTCT coverage

98% 100%



## Nutrition

### NUTRITION GENERAL

Prevalence of global acute malnutrition (6-59 months)

INDICATOR STANDARD

Not collected

Prevalence of stunting (6-59 months)

Not collected

Prevalence of severe acute malnutrition (6 - 59 months)

Not collected

Prevalence of anaemia in children (6-59 months)

Not collected

Prevalence of anaemia in women of reproductive age (15-49 yrs)

Not collected

### INFANT AND YOUNG CHILD FEEDING (IYCF)

Proportion of children 0-23 months who were put to the breast within one hour of birth

INDICATOR STANDARD

Not collected

Proportion of infants aged between 0-5 months who received only breast milk during the previous day

Not collected

IYCF programmes targeting pregnant and lactating women established or maintained?

Yes

### MICRONUTRIENT DEFICIENCY

Percentage coverage of special nutrition product for prevention of undernutrition in young children (LNS/MNP/FBF)

INDICATOR STANDARD

92% > 70%



### CMAM: SAM TREATMENT

Number of new severe acute admissions (6-59 months)

INDICATOR STANDARD

202

Recovery rate

78% > 75%



Default rate

6% < 0%



Death rate

4% < 10%



Referral rate

8%

### MAM TREATMENT

Number of new moderate acute admissions (6-59 months)

INDICATOR STANDARD

1066

Recovery rate

90% > 75%



Default rate

5% < 15%



Death rate

0% < 3%



Referral rate

3%

## Water, Sanitation and Hygiene (WASH)

### WATER

Average number of litres of potable water available per person per day

INDICATOR STANDARD

15 < 20



Proportion of households collecting >= 15 litres per person per day

> 95%

Number of persons of concern per water tap

309 < 80



Proportion of tests at chlorinated water collection points indicating a measurable chlorine residual (>= 0.1 mg/litre) and NTU <5

> 95%

Proportion of tests at unchlorinated water collection points showing 0 Faecal Coliforms/100 ml

> 95%

Proportion of households collecting drinking water from protected water sources only

96% > 95%



Proportion of households with sufficient daily water storage capacity

70% > 80%



### WATER STAFFING

Number of hygiene promoters

INDICATOR STANDARD

523 1 : < 20,000



### SANITATION

Refugees per latrine/toilet

INDICATOR STANDARD

7 < 20



Proportion of households with drop-hole latrine or drop-hole toilet

71%

Proportion of households report defecating in a toilet

84% > 85%



Proportion of communal latrines compliant with UNHCR standards (cleanable slabs, privacy & structural safety)

94% > 90%

