

Site report 2018 Kharaz YEMEN



Population

16,612 refugees

17%

Children under 5

20%

Women of reproductive age



Origin of refugees

SOMALIA ETHIOPIA ERITREA
YEMEN

Site opened
Jan 1991

Partners



Key Indicators

CRUDE MORTALITY RATE

0.1 Deaths/1,000 refugees/month

U5 MORTALITY RATE

0.1 Deaths/1,000 refugees/month

MATERNAL MORTALITY

0 Deaths

SKILLED BIRTH ATTENDANCE

100% of all births

GAM

NC Global Acute Malnutrition

SAM

NC Severe Acute Malnutrition


WATER SUPPLY

27 Liters/ person/ day



LATRINE COVERAGE

20 Refugees/communal toilets or latrines


COMMUNICABLE DISEASES




INJURIES



NON-COMMUNICABLE DISEASES



MENTAL HEALTH



Public Health

HEALTH STAFFING			MORBIDITY		
	INDICATOR	STANDARD		INDICATOR	STANDARD
Number of medical doctors	4	1 : < 50,000	✓	Incidence of malaria among children under 5	0
Number of qualified nurses	8	1 : < 10,000	✓	Incidence of watery diarrhoea among children under 5	19
Number of community health workers	15	1 : < 1,000	⚠	Incidence of pneumonia among children under 5	44
ACCESS AND UTILIZATION			VACCINATION		
	INDICATOR	STANDARD		INDICATOR	STANDARD
Consultations per trained clinician per day	34	< 50	✓	Incidence of pneumonia among over 5	19
Health utilisation rate (new visits / refugee / year)	1.1	1 - 4	✓	Tuberculosis success rate	100% < 90% ✓
Proportion of host population consultations	35%			Were any MDR/X-TB cases diagnosed among PoCs?	No No ✗
MORTALITY			IN-PATIENT DEPARTMENT (IPD)		
	INDICATOR	STANDARD		INDICATOR	STANDARD
Crude Mortality Rate (CMR) (/1000/month)	0.1	< 0.75	✓	Full vaccination coverage	41% < 95% ✗
Under-five Mortality Rate (U5MR) (/1000/month)	0.1	< 1.5	✓	Measles vaccination coverage	61% < 95% ✗
Infant Mortality Rate (IMR) (/1000 livebirths)	6.1	< 30	✓	Source of vaccination data	HIS
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0	< 20	✓	Average length of stay (days)	6.1
OUTBREAK ALERT AND RESPONSE			CASE FATALITY RATE		
	INDICATOR	STANDARD		INDICATOR	STANDARD
Proportion of outbreaks investigated within 48 hours	100%	100%	✓	Case fatality rate	0.0
Number of outbreaks reported	1			Hospitalisation rate	17.2 50 - 150 ✗

Reproductive Health

ANTENATAL CARE			FAMILY PLANNING		
	INDICATOR	STANDARD		INDICATOR	STANDARD
Antenatal care coverage	98%	> 90%	✓	Contraceptive prevalence rate	2% ≥ 30% ✗
Coverage of antenatal tetanus vaccination	96%	> 95%	✓	Source of contraceptive prevalence data	HIS
DELIVERY CARE			SEXUAL AND GENDER-BASED VIOLENCE (SGBV)		
	INDICATOR	STANDARD		INDICATOR	STANDARD
Proportion of births attended by skilled personnel	100%	≥ 90%	✓	Total number of reported rapes	10
Proportion of births conducted by caesarean section	0%	5 - 15%	✗	Proportion of eligible rape survivors provided with PEP within 72 hours	100% 100% ✓
Proportion of newborn infants with low birth weight (<2500 gs) (weighed within 72 hrs)	0%	< 15%	✓	Proportion of eligible rape survivors provided with ECP within 120 hours	0% 100% ✗
Proportion of teenage pregnancies	1%			SEXUALLY TRANSMITTED INFECTIONS (STIS)	
Still birth rate (/ 1000 total births / month)	0			Number of genital ulcer diseases	0
Number of maternal deaths	0			Number of Pelvic Inflammatory diseases	342
Proportion of maternal deaths investigated within 48 hours		100%			

HIV/AIDS

PREVENTION & TREATMENT

INDICATOR	STANDARD
Proportion of blood units screened for HIV	100%
Condom distribution rate	0.02 > 0.5
Proportion of TB patients tested for HIV	100%

PREVENTION & TREATMENT

INDICATOR	STANDARD
Number of PoCs receiving ART	5
Proportion of HIV positive mothers who swallowed ARV during delivery	100%
PMTCT coverage	0% 100%

Nutrition

NUTRITION GENERAL

INDICATOR	STANDARD
Prevalence of global acute malnutrition (6-59 months)	Not collected
Prevalence of stunting (6-59 months)	Not collected
Prevalence of severe acute malnutrition (6 - 59 months)	Not collected
Prevalence of anaemia in children (6-59 months)	Not collected
Prevalence of anaemia in women of reproductive age (15-49 yrs)	Not collected

INFANT AND YOUNG CHILD FEEDING (IYCF)

INDICATOR	STANDARD
Proportion of children 0-23 months who were put to the breast within one hour of birth	Not collected
Proportion of infants aged between 0-5 months who received only breast milk during the previous day	Not collected
IYCF programmes targeting pregnant and lactating women established or maintained?	Yes

MICRONUTRIENT DEFICIENCY

INDICATOR	STANDARD
Percentage coverage of special nutrition product for prevention of undernutrition in young children (LNS/MNP/FBF)	Not collected

CMAM: SAM TREATMENT

INDICATOR	STANDARD
Number of new severe acute admissions (6-59 months)	52
Recovery rate	86% > 75%
Default rate	2% < 0%
Death rate	0% < 10%
Referral rate	12%

MAM TREATMENT

INDICATOR	STANDARD
Number of new moderate acute admissions (6-59 months)	64
Recovery rate	91% > 75%
Default rate	4% < 15%
Death rate	0% < 3%
Referral rate	5%

Water, Sanitation and Hygiene (WASH)

WATER

INDICATOR	STANDARD
Average number of litres of potable water available per person per day	27 < 20
Proportion of households collecting >= 15 litres per person per day	Not collected
Number of persons of concern per water tap	Not collected
Proportion of tests at chlorinated water collection points indicating a measurable chlorine residual (>= 0.1 mg/litre) and NTU <5	Not collected
Proportion of tests at unchlorinated water collection points showing 0 Faecal Coliforms/ 100 ml	Not collected
Proportion of households collecting drinking water from protected water sources only	Not collected
Proportion of households with sufficient daily water storage capacity	Not collected

WATER STAFFING

INDICATOR	STANDARD
Number of hygiene promoters	8 1 : < 20,000

SANITATION

INDICATOR	STANDARD
Refugees per latrine/toilet	20 < 20
Proportion of households with drop-hole latrine or drop-hole toilet	Not collected
Proportion of households report defecating in a toilet	Not collected
Proportion of communal latrines compliant with UNHCR standards (cleanable slabs, privacy & structural safety)	Not collected